

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

IN THE CLAIMS

1. (currently amended) A method for production selection assistance, the method comprising:

receiving a product category selection;

matching the product category selection against a product database to determine a plurality of matched products;

displaying a product matrix comprising a product entry for each of the matched products, each product entry comprising a model identifier and at least one product configuration parameter associated with the matched products;

presenting a product configuration question relating to the at least one product configuration parameter displayed in the product ~~matrix~~ matrix, wherein said presenting the product configuration question comprises presenting the product configuration question associated with a selected product configuration parameter chosen from the at least one product configuration parameter;

receiving a product configuration answer; and

responsively updating the product matrix based on the product configuration answer to eliminate at least one product entry in the product ~~matrix~~ matrix, wherein said responsively updating comprises removing the selected product configuration parameter from the product matrix.

2. (canceled)

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

3. (original) A method according to claim 2, further comprising the step of inserting an additional product configuration parameter in the product matrix to replace the selected product configuration parameter.

4. (original) A method according to claim 1, wherein each product entry further comprises a comparison toggle button with a selected state and an unselected state, and further comprising the steps of displaying a Compare button and, when the Compare button is activated, responsively displaying a side by side comparison only of matched products with the comparison toggle button in the selected state.

5. (original) A method according to claim 1, wherein the step of receiving a product category selection further comprises receiving a product color.

6. (original) A method according to claim 1, wherein the model identifier is formatted as a hyperlink to a product information page associated with the model identifier.

7. (previously presented) A method according to claim 1, wherein the step of displaying a product matrix further comprises displaying column headings in the product matrix including a model number heading, a model price heading, and a product configuration heading for each of the at least one product configuration parameter.

8. (original) A method according to claim 7, further comprising the steps of determining a selected column heading based on an external input and sorting the product matrix based on the selected heading.

9. (previously presented) A method according to claim 1, wherein the at least one product configuration parameter includes product configuration parameters, and at least one of the product configuration parameters is formatted as a hyperlink to a product configuration information page associated with the model identifier.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

10. (original) A method according to claim 1, wherein the step of the responsively updating further comprises displaying outside the product matrix the product configuration answer.

11. (original) A method according to claim 1, further comprising the steps of, after receiving the product category selection, presenting an initial filtering question and receiving an associated initial filtering answer, and wherein the step of matching comprises matching the product category selection and a query criteria based on the initial filtering answer against the product database to determine the plurality of matched products.

12. (currently amended) A method according to claim 1, wherein the step of displaying a product matrix further comprises displaying the at least one product entries sorted by brand name.

13. (previously presented) A method according to claim 1, wherein the at least one product configuration parameter is a consumer critical-to-quality parameter for the matched products.

14. (currently amended) A product selection assistance tool comprising:

- a communication interface;
- a processing circuit coupled to the communication interface; and
- a memory coupled to the processing circuit, the memory storing, for execution by the processing circuit, instructions for:
 - receiving a product category selection over the communication interface;
 - matching the product category selection against a product database to determine a plurality of matched products;

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

displaying a product matrix comprising a product entry for each of the matched products, each product entry comprising a model identifier and at least one product configuration parameter associated with the matched products;

presenting a product configuration question related to the at least one product configuration parameter displayed in the product matrix;

receiving a product configuration answer; and

responsively updating the product matrix based on the product configuration answer to eliminate at least one product entry in the product matrix. matrix, the product configuration question based on a selected product configuration parameter chosen from the at least one product configuration parameter, wherein the instructions for responsively updating include instructions to remove the selected product configuration parameter from the product matrix.

15. (canceled)

16. (original) A product selection assistance tool according to claim 15, wherein the memory further comprises instructions for inserting an additional product configuration parameter in the product matrix to replace the selected product configuration parameter.

17. (previously presented) A product selection assistance tool according to claim 14, wherein the at least one product configuration parameter includes product configuration parameters and at least one of the product configuration parameters is a hyperlink to a product configuration information page associated with the model identifier.

18. (previously presented) A product selection assistance tool according to claim 14, wherein the at least one product configuration parameter is a consumer critical-to-quality parameter for the matched products.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

19. (currently amended) A product selection assistance Internet web page comprising:

a matrix panel comprising a product matrix displaying a plurality of products using individual product entries comprising a model identifier and at least one product configuration parameter associated with the products; and

a product configuration panel displaying a product configuration question and accepting a product configuration answer, the product matrix responsively updating based on the product configuration answer to eliminate at least one product entry in the product matrix, wherein the product configuration question relates to the at least one product configuration parameter displayed in the product matrix matrix, the product configuration question based on a selected product configuration parameter chosen from the at least one product configuration parameter, and wherein the product matrix is responsively updated by removing the selected product configuration parameter from the product matrix.

20. (previously presented) The web page of claim 19, wherein the product matrix further comprises column headings including a model number heading, a model price heading, and a product configuration heading for the at least one product configuration parameter.

21. (currently amended) The web page of claim 19, wherein the product matrix displays the ~~individual~~ at least one product entry sorted according to a selected column heading.

22. (previously presented) The web page of claim 19, wherein the at least one product configuration parameter includes product configuration parameters and at least one of the product configuration parameters is a hyperlink to a product configuration information page associated with the model identifier.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

23. (original) The web page of claim 19, wherein the matrix panel further displays outside the product matrix each product configuration answer.

24. (original) The web page of claim 19, wherein each product entry includes a comparison toggle button with an ON state and an OFF state.

25. (currently amended) A computer program product comprising:

a storage medium readable by a processing circuit and storing for execution by the processing circuit:

instructions for receiving a product category selection;

instructions for matching the product category selection against a product database to determine a plurality of matched products;

instructions for displaying product matrix comprising a product entry for each of the matched products, each product entry comprising a model identifier and at least one product configuration parameter associated with the matched products;

instructions for presenting a product configuration question related to the at least one product configuration parameter displayed in the product matrix; matrix, wherein said instructions for presenting include instructions configured to present the product configuration question associated with a selected product configuration parameter chosen from the at least one product configuration parameter;

instructions for receiving a product configuration answer; and

instructions for responsively updating the product matrix based on the product configuration answer to eliminate at least one product entry in the product matrix; matrix,

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

wherein the instructions for responsively updating include instructions configured to remove the selected product configuration parameter from the product matrix.

26. (original) The computer program product of claim 25, wherein the storage medium is one of a floppy disk, hard disk, ROM, or RAM.

27 (canceled)

23. (currently amended) The computer program product of ~~claim 27~~, claim 25, further comprising instructions for inserting an additional product configuration parameter in the product matrix to replace the selected product configuration parameter.

29. (original) The computer program product of claim 25, wherein each product entry further comprises a comparison toggle button with a selected state and an unselected state, and further instructions for displaying a Compare button and, when the Compare button is activated, responsively displaying a side by side comparison only of matched products having the comparison toggle button in the selected state.

30. (previously presented) A method according to Claim 1, wherein each of the product configuration question and the product configuration answer include information regarding at least one of a refrigerator, a washer, a dryer, and an air conditioner.

31. (previously presented) A method according to Claim 1, wherein the at least one product configuration parameter includes at least one of a capacity of a refrigerator, a type of dispenser included with the refrigerator, and inclusion of an icemaker with the refrigerator.

32. (previously presented) A method according to Claim 1, wherein the at least one product configuration parameter includes at least one of a capacity of a washer, a number of wash cycles executed by the washer, and a number of combinations of wash temperatures and rinses executed by the washer.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

33. (previously presented) A method according to Claim 1, wherein the at least one product configuration parameter includes at least one of an amount of cooling provided by an air conditioner, an operating voltage of the air conditioner, and an energy efficiency ratio of the air conditioner.

34. (previously presented) The product selection assistance tool of Claim 14, wherein each of the product configuration question and the product configuration answer include information regarding at least one of a refrigerator, a washer, a dryer, and an air conditioner.

35. (previously presented) The product selection assistance tool of Claim 14, wherein the at least one product configuration parameter includes at least one of a capacity of a refrigerator, a type of dispenser included with the refrigerator, and inclusion of an icemaker with the refrigerator.

36. (previously presented) The product selection assistance tool of Claim 14, wherein the at least one product configuration parameter includes at least one of a capacity of a washer, a number of wash cycles executed by the washer, and a number of combinations of wash temperatures and rinses executed by the washer.

37. (previously presented) The product selection assistance tool of Claim 14, wherein the at least one product configuration parameter includes at least one of an amount of cooling provided by an air conditioner, an operating voltage of the air conditioner, and an energy efficiency ratio of the air conditioner.

38. (previously presented) The web page of Claim 19, wherein each of the product configuration question and the product configuration answer include information regarding at least one of a refrigerator, a washer, a dryer, and an air conditioner.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

39. (previously presented) The web page of Claim 19, wherein the at least one product configuration parameter includes at least one of a capacity of a refrigerator, a type of dispenser included with the refrigerator, and inclusion of an icemaker with the refrigerator.

40. (previously presented) The web page of Claim 19, wherein the at least one product configuration parameter includes at least one of a capacity of a washer, a number of wash cycles executed by the washer, and a number of combinations of wash temperatures and rinses executed by the washer.

41. (previously presented) The web page of Claim 19, wherein the at least one product configuration parameter includes at least one of an amount of cooling provided by an air conditioner, an operating voltage of the air conditioner, and an energy efficiency ratio of the air conditioner.

42. (previously presented) The computer program product of Claim 25, wherein each of the product configuration question and the product configuration answer include information regarding at least one of a refrigerator, a washer, a dryer, and an air conditioner.

43. (previously presented) The computer program product of Claim 25, wherein the at least one product configuration parameter includes at least one of a capacity of a refrigerator, a type of dispenser included with the refrigerator, and inclusion of an icemaker with the refrigerator.

44. (previously presented) The computer program product of Claim 25, wherein the at least one product configuration parameter includes at least one of a capacity of a washer, a number of wash cycles executed by the washer, and a number of combinations of wash temperatures and rinses executed by the washer.

VIA FACSIMILE (703)872-9306

9D-EC-19337
PATENT

45. (previously presented) The computer program product of Claim 25, wherein the at least one product configuration parameter includes at least one of an amount of cooling provided by the air conditioner, an operating voltage of an air conditioner, and an energy efficiency ratio of the air conditioner.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- | | |
|--|---|
| <input type="checkbox"/> BLACK BORDERS | <input type="checkbox"/> EXCESSIVE NOISE |
| <input type="checkbox"/> IMAGE CUT OFF AT TOP, BOTTOM OR SIDES | <input type="checkbox"/> EXCESSIVE CONTRAST |
| <input type="checkbox"/> FADED TEXT OR DRAWING | <input type="checkbox"/> IMAGE DISTORTION |
| <input type="checkbox"/> BLURRED OR ILLEGIBLE TEXT OR DRAWING | <input type="checkbox"/> MARKS ON ORIGINAL |
| <input type="checkbox"/> SKEWED/SLANTED IMAGES | <input type="checkbox"/> COLOR OR BLACK AND WHITE |
| <input type="checkbox"/> COLOR OR BLACK AND WHITE PHOTOGRAPHS | <input type="checkbox"/> COLOR OR GRAY SCALE |
| <input type="checkbox"/> GRAY SCALE DOCUMENTS | <input type="checkbox"/> GRAY SCALE IMAGES |
| <input checked="" type="checkbox"/> LINES OR MARKS ON ORIGINAL DOCUMENT | <input type="checkbox"/> LINES OR MARKS ON COPY |
| <input type="checkbox"/> REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY | <input type="checkbox"/> OTHER: _____ |
| <input type="checkbox"/> OTHER: _____ | <input type="checkbox"/> OTHER: _____ |

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.